# ADDITIONS AND EMENDATIONS TO THE WILD ORCHIDS OF NORTH AMERICA, NORTH OF MEXICO

## Paul Martin Brown<sup>1</sup>

Research Associate University of Florida Herbarium (FLAS) Florida Museum of Natural History 379 Dickinson Hall, PO Box 110575 Gainesville Florida 32611-0575. U.S.A.

#### ABSTRACT

The Wild Orchids of North America, North of Mexico (Paul Martin Brown and Stan Folsom, University Press of Florida, 2003 ISBN 0-8130-2572-9) has served as an illustrated and annotated checklist of the orchids of that region. In the few years since research was completed for that work many new taxa have been described, other pertinent facts have been published, and six corrections of fact need to be added to the original manuscript. Those additions and corrections, including literature references and photographs, are presented here to enable the reader to update this volume to the close of 2005.

#### RESUMEN

The Wild Orchids of North America, North of Mexico (Paul Martin Brown y Stan Folsom, University Press of Florida, 2003 ISBN 0-8130-2572-9) ha servido como catálogo anotado e ilustrado de las orquideas de esa región. En los pocos años desde que se finalizó la investigación del trabajo se han descrito muchos taxa nuevos, se han publicado otros hechos importantes, y se han hecho seis correcciones que necesitan añadirse al manuscrito original. Estas adiciones y correcciones, que incluyen referencias bibliográficas y fotografias, se presentan aqui para posibilitar al lector poner al dia en 2005 este volumen.

Since the compilation and publication of *The Wild Orchids of North America*, *North of Mexico* in April 2003 (research completed in May 2002), six errors have been noted, several older forms revived, numerous new taxa described, new combinations published, range extensions noted, 'lost' species rediscovered, and significant publications presented. Whether one embraces all of the subspecific taxa is not the point of this publication. These taxa have been described and are present in living material, and therefore they deserve some recognition. Recent reassessments of older generic concepts (i.e., *Gymnadeniops*is) and ongoing molecular work (i.e., *Piperia/Platanthera*) have resulted in several transfers and new combinations. Whereas this is not intended in any way to be a revised or second edition of *The Wild Orchids of North America*, *North of Mexico*, those combinations and transfers (although in some cases a more accurate assessment of the individual taxon) are usually listed as synonyms, with literature

Address for correspondence: 10896 SW 90th Terrace, Ocala, Florida 34481, U.S.A. naorchid@aol.com

references, under the appropriate species. Additions and corrections are arranged in original page order of *The Wild Orchids of North America*, *North of Mexico*.

Page

---0

Amerorchis rotundifolia (Banks ex Pursh) Hultén

### small round-leaf orchis

emend:

forma angustifolia (Rousseau) P.M. Brown—narrow-leafed form Brown, P.M. and S.N. Folsom. 2006. Wild Orchids of the Canadian Maritimes and Northern Great Lakes Region, p. 284.

add:

forma rosea P.M. Brown—pink-flowered form

Brown, P.M. 2004 North American Native Orchid Journal 10: 34. forma wardii P.M. Brown—bicolored form

Brown, P.M. 2004. North American Native Orchid Journal 10: 34.

7

Calopogon barbatus (Walter) Ames

## bearded grass-pink

add-

forma lilacinus P.M. Brown-lilac-flowered form

forma albiflorus P.M. Brown—white-flowered form

Brown, P.M. 2003. North American Native Orchid Journal 9: 33.

Brown, P.M. and S.N. Folsom. 2004. Wild Orchids of the Southeastern United

States, pp. 26-27.

Brown PM and SN Folcom, 2005, Wild Orchide of Florida, undeted and on

Brown, P.M. and S.N. Folsom. 2005. Wild Orchids of Florida: updated and expanded edition, pp. 40-41.

\_

Calopogon multiflorus Lindley

## many-flowered grass-pink

add:

forma albiflorus P.M. Brown—white-flowered form

Brown, P.M. 2004. North American Native Orchid Journal 10: 21.

Brown, P.M. and S.N. Folsom. 2005. Wild Orchids of Florida: updated and expanded edition, pp. 42-43.

Calopogon oklahomensis D.H. Goldman

## Oklahoma grass-pink

add.

forma albiflorus P.M. Brown—white-flowered form

Brown, 2003. North America Native Orchid Journal 9: 33–34.
Brown, P.M. and S.N. Folsom. 2004. Wild Orchids of the Southeastern United States. pp. 30–31.

#### 10

Calypso bulbosa (Linnaeus) Oakes var. americana (R. Brown) Luer

## eastern fairy-slipper

add:

forma biflora P.M. Brown-two-flowered form

Brown, 2004, North American Native Orchid Journal 10: 35.

Brown, P.M. and S.N. Folsom. 2006. Wild Orchids of the Canadian Maritimes and Northern Great Lakes Region, pp. 32–33.

## 13

add:

Cleistes ×ochlockoneensis P.M. Brown

## Ochlockonee hybrid rosebud orchid

(C. divaricata × C. bifaria)

Brown, P.M. 2004. North American Native Orchid Journal 10: 22.

Brown, P.M. and S.N. Folsom. 2005. Wild Orchids of Florida: updated and expanded edition, p. 53.

### 16

add:

Corallorhiza maculata (Rafinesque) Rafinesque var. ozettensis Tisch

#### Ozette coralroot

Brown, P.M. and S.N. Folsom. 2006. Wild Orchids of the Pacific Northwest and Canadian Rockies, pp. 40–41.

Tisch, E. 2001, Madrono 48: 40-42.

#### 18

Corallorhiza striata Lindley var. vreelandii (Rydberg) L.O. Williams

## Vreeland's striped coralroot

correct spelling to: Todsen

#### 19

Corallorhiza trifida Chatelain

# early coralroot

add:

forma verna (Nuttall) P.M. Brown—yellow-stemmed/white-lipped form Brown, P.M. and S.N. Folsom. 2006. Wild Orchids of the Canadian Maritimes and Northern Great Lakes Region, p. 284.

Corallorhiza wisteriana Conrad

## Wister's coralroot

add.

forma cooperi P.M. Brown—cranberry-pink colored form Brown, P.M. 2004. North American Native Orchid Journal 10: 22. Brown, P.M. and S.N. Folsom. 2005. Wild Orchids of Florida: updated and expanded edition, pp. 62–63.

#### 20

Cranichis muscosa Swartz

### moss-loving cranichis

emend:

enend. rediscovered in Collier County, Florida in 2004 Clusman, R. 2004. *Native Orchid Conference Journal* 1(2): 26–28.

#### 21

Cypripedium acaule Aiton

## pink lady's-slipper, moccasin flower

add:

forma lancifolium House—narrow-leaved form House, H. 1924, New York State Museum Bulletin 254: 236

### 23

Cypripedium fasciculatum Kellogg ex S. Watson clustered lady's-slipper

add:

forma purpureum P.M. Brown—mahogany-flowered form forma viride P.M. Brown—green-flowered form Brown, P.M. 2004. North American Native Orchid Journal 10: 36. Brown, P.M. and S.N. Folsom. 2006. Wild Orchids of the Pacific Northwest and Canadian Rockies, pp. 56–57.

#### 24

Cypripedium guttatum Swartz

## spotted lady's-slipper

add:

forma albiflorum Lee—white-flowered form Lee, Y.N. 1996. Flora of Korea: 1164.

Cypripedium kentuckiense C.F. Reed

## ivory-lipped lady's-slipper

add:

forma summersii P.M. Brown—concolorous yellow-flowered form Brown, P.M. 2002. North American Native Orchid Journal 8: 30–31.



Calopogon multiflorus forma albiflorus p. 8



Calypso bulbosa var. americana forma biflora p. 10



Corallorhiza maculata var. ozettensis p. 16



Corallorhiza wisteriana forma cooperi p. 19

2.7

Cypripedium passerinum Richmond

## sparrow's-egg lady's-slipper, Franklin's lady's-slipper

add:

forma minganense (Victorin) P.M. Brown—dwarf form Brown, P.M. and S.N. Folsom. 2006. Wild Orchids of the Canadian Maritimes and Northern Great Lakes Region, p. 284.

#### 28

add:

Cypripedium × herae Ewacha & Sheviak

## Queen Hera's hybrid lady's-slipper

(C. parviflorum var. pubescens × C. reginae) Sheviak, C.S. 2004, Orchids 73(4): 296–299

#### 20

Cyrtopodium punctatum (Linnaeus) Lindley

### cowhorn orchid

photograph is incorrect (is *C. macrobulbon*), see new photograph add:

Cyrtopodium macrobułbon (La Llave & Lexara) G.A. Romero-González & G. Carnevali Fernández-Concha

#### giant cowhorn orchid

southwestern Florida; Mexico

photographed (1999) in Monroe County, Florida; introduced?

Brown, P.M. and S.N. Folsom. 2005. Wild Orchids of Florida: updated and expanded edition, p. 73.

. .

Dactylorhiza aristata (Fischer ex Lindley) Soó var. aristata

#### Fischer's orchid

add:

forma albomaculata P.M. Brown—white/pink spotted lip form Brown, P.M. 2004. North American Native Orchid Journal 10: 37

Dactylorhiza aristata (Fischer ex Lindley) Soó var. kodiakensis Luer & Luer f.

#### Kodiak orchid

add:

forma alba P.M. Brown—white-flowered form Brown, P.M. 2004. North American Native Orchid Journal 10: 37.

#### 32

Deiregyne confusa Garay

## Hildago ladies'-tresses

Funkiella confusa (Garay) Szlachetko, Rutkowski, & Mytnik emend:

discovered at Big Bend National Park in 2004

photo in Luer (and on p. 32) taken in Durango, Mexico and does not appear to exhibit pubescent sepals of *D. confusa* and may be *D. durangensis*, see new photograph

Coleman, R. 2006. Native Orchid Conference Journal 3: in press.

Szlachetko, D.L., P. Rutkowski, and J. Mytnik. 2005. Contributions to the taxonomic revision of the subtribes Spiranthinae, Stenorrhynchidinae and Cyclopogoninae (Orchidaceae) in Mesoamerica and the Antilles. Polish Botanical Studies 20: 229.

#### 45

Insert the following and remove from the indicated pages in *Platanthera*. *Gymnadeniopsis clavellata* (Michaux) Rydberg var. *clavellata Platanthera clavellata* (Michaux) Luer var. *clavellata* (details see p. 78)

## little club-spur orchis

Gymnadeniopsis clavellata (Michaux) Rydberg var. ophioglossoides (Fernald) W.I. Schrenk

Platanthera clavellata (Michaux) Rydberg var. ophioglossoides (Fernald) P.M. Brown (details see p. 79)

## northern club-spur orchis

Gymnadeniopsis integra (Nuttall) Rydberg
Platanthera integra (Nuttall) Lindley (details see p. 84)

## yellow fringeless orchis

Gymnadeniopsis nivea (Nuttall) Rydberg

Platanthera nivea (Nuttall) Lindley (details see p. 87)

### snowy orchis

Rydberg, P.A. 1901. in Britton, Manual of the Flora of the Northeastern United States, p. 293.

Brown, P.M. 2002. North American Native Orchid Journal 8: 32-40.

Gymnadeniopsis clavellata (Michaux) Rydberg var. clavellata

### little club-spur orchis

add:

forma wrightii (Olive) P.M. Brown-spurless form

Brown, P.M. and S.N. Folsom. 2006. Wild Orchids of the Canadian Maritimes and Northern Great Lakes Region, p. 284.

Olive, L. 1951. Bulletin of the Torrey Botanical Club 78(4): 289-291. 1951.



Cyrtopodium puncatum p. 29

Cyrtopodium macrobulbon p.29



Deiregyne confusa p. 32

#### 49

emend:

Hexalectris revoluta Correll var. revoluta

### recurved crested coralroot

Texas: Mexico

Carling, P.M. 2004. *Native Orchid Conference Journal* 1(2):14–16. rare and local in the mountains of southern Texas [photograph and drawing are *H. revoluta* var. *colemanii*]

add:

Hexalectris revoluta var. colemanii P.M. Catling

### Coleman's crested coralroot

se Arizona

Coleman, R.A. 1999. North American Native Orchid Journal 5(1): 312–15. Catling, P.M. 2004. Native Orchid Conference Journal 1(2): 14–16. this new variety was recently described from southeastern Arizona

#### 50

Hexalectris spicata (Walter) Barnhardt var. spicata

## crested coralroot

correct: forma albolabia to white-lipped form

forma wilderi P.M. Brown—albino form forma lutea P.M. Brown—yellow-flowered form P.M. Brown. 2004. North American Native Orchid Journal 10: 23. Brown, P.M. and S.N. Folsom. 2005. Wild Orchids of Florida: updated and expanded edition, pp. 134–135.

## 51

Hexalectris warnockii Ames & Correll

## Texas purple-spike

add:

forma lutea P.M. Catling—yellow-flowered form Catling, P.M. 2004. Native Orchid Conference Journal 1(2): 24.

#### 57

insert correct name:

Listera banksiana Lindley

Listera caurina Piper

#### northwestern twavblade

Brown, P.M. 2004. North American Native Orchid Journal 10: 2-12.

Brown, P.M. and S.N. Folsom. 2006. Wild Orchids of the Pacific Northwest and Canadian Rockies, pp. 260.

Lindley, J. 1840. Genera and Species of Orchidaceous Plants p. 455.

the rule of priority dictates that *Listera banksiana* (1840) must be used over *L. caurina* (1898)

#### 58

Listera cordata (Linnaeus) R. Brown var. cordata

#### heart-leaved twavblade

add:

forma tetraphylla Lavoie—four-leaved form Lavoie, G. 1984 Proyancheria 7: 92

#### 63

emend:

Malaxis paludosa (Linnaeus) Swartz

## bog adder's-mouth

incorrect photograph (is Platanthera sparsiflora!); replace with new photograph

#### 64

Malaxis spicata Swartz

#### Florida adder's-mouth

add:

forma trifoliata P.M. Brown-three-leaved form

Brown, P.M. 2003. North American Native Orchid Journal 9: 34.

Brown, P.M. and S.N. Folsom. 2004. Wild Orchids of the Southeastern United States, pp. 126–27.

Brown, P.M. and S.N. Folsom. 2005. Wild Orchids of Florida: updated and expanded edition, pp. 154–55.

#### ۵,

Pelexia adnata (Swartz) Sprengel

## glandular ladies'-tresses

emend:

discovered in Collier County, Florida in 2004

Brown, P.M. and S. Folsom. 2005. Wild Orchids of Florida: updated and expanded edition, pp. 172–73.

#### 69

Piperia candida Morgan & Ackerman

(Platanthera candida (Morgan & Ackerman) R.M. Bateman: homonym)

## slender white piperia

Bateman, R.M. 2003. Botanical Journal of the Linnaean Society 142(1): 21.

#### 70

Piperia colemanii Morgan & Glicenstein

Platanthera colemanii (Morgan & Glicenstein) R.M. Bateman



Hexalectris spicata var. spicata forma lutea p. 50



Hexalectris revoluta var. colemanii p. 49



Malaxis paludasa p. 63

## Coleman's piperia

Bateman, R.M. 2003. Botanical Journal of the Linnaean Society 142(1): 21.

Piperia cooperi S. Watson

Platanthera cooperi (S. Watson) R.M. Bateman

## Cooper's stoutspire orchid

Bateman, R.M. 2003. Botanical Journal of the Linnaean Society 142(1): 21.

#### 71

Piperia clegans Lindley

Platanthera clegans Lindley

Platanthera elegans Lindley subsp. maritima (Rydberg) R.M. Bateman

#### elegant piperia

Lindley, J. 1835. Genera and Species of Orchidaceous Plants, p. 285.

Bateman, R.M. 2003. Botanical Journal of the Linnaean Society 142(1): 21.

Piperia elegans Lindley subsp. decurtata Morgan & Glicenstein

Platanthera elegans Lindley subsp. decurtata (Morgan & Glicenstein) R.M. Bateman

## Point Reyes piperia

Bateman, R.M. 2003. Botanical Journal of the Linnacan Society 142(1): 21.

#### 72

Piperia elongata Rydberg

Platanthera clongata (Rydberg) R.M. Bateman

#### long-spurred piperia

Bateman, R.M. 2003. Botanical Journal of the Linnaean Society 142(1): 21.

Piperia leptopetala Rydberg

Platanthera leptopetala (Rydberg) R.M. Bateman

## lace orchid

Bateman, R.M. 2003. Botanical Journal of the Linnaean Society 142(1): 21.

### 73

Piperia michaelii Greene

Platanthera michaelii (Greene) R.M. Bateman

#### Michael's piperia

Bateman, R.M. 2003. Botanical Journal of the Linnaean Society 142(1): 21.

Piperia transversa Suksdorf

Platanthera transversa (Suksdorf) R.M. Bateman

#### flat-spurred piperia

Bateman, R.M. 2003. Botanical Journal of the Linnaean Society 142(1): 21.

#### 74

Piperia unalascensis (Sprengel) Rydberg

#### Alaskan piperia

add:

forma olympica P.M. Brown—dwarf montane form Brown, P.M. 2004. North American Native Orchid Journal 10: 37.

Piperia yadonii Morgan & Ackerman

Platanthera yadonii (Morgan & Ackerman) R.M. Bateman

## Yadon's piperia

Bateman, R.M. 2003. Botanical Journal of the Linnaean Society 142(1): 21.

75

Platanthera blephariglottis Lindley [delete var. blephariglottis] northern white fringed orchis

#### 76

etnend and insert with text on p. 79: Platanthera conspicua (Nash) P.M. Brown Platanthera blephariglottis Lindley var. conspicua (Nash) Luer

## southern white fringed orchis

Brown, P.M. 2002. North American Native Orchid Journal: 8: 3-14.

#### 79/94

add:

Platanthera convallariifolia (Fischer) Lindley

## lily-leaved rein orchis

rare on Alaskan islands; eastern Asia

Sheviak, C.J. 2002. in Flora of North America, vol. 26 pp. 559-60. Brown, P.M. and S.N. Folsom. 2006. Wild Orchids of the Pacific Northwest and Canadian Rockies, pp. 132-33.

[note corrected spelling to convallariifolia]

#### 80

Platanthera dilatata (Pursh) Lindley var. albiflora (Chamisso) Ledebour

#### bog candles

range extension: east to southwestern South Dakota

### 81

Platanthera flava (Linnaeus) Lindley var. flava

## southern tubercled orchis

range extension: east to southern New Jersey

#### 83

Platanthera hookeri (Torrey) Lindley

### Hooker's orchis

add:

forma oblongifolia (J.A. Paine) P.M. Brown—narrow-leaved form Brown, P.M. and S.N. Folsom. 2006. Wild Orchids of the Canadian Maritimes and Northern Great Lakes Region, p. 284.

emend:

Platanthera huronensis (Nuttall) Lindley

green bog orchis

incorrect line art; replace with new figure

88

correct spelling to:

blunt-leafed rein orchis

few-flowered blunt-leafed rein orchis

89

Platanthera orbiculata (Pursh) Lindley

pad-leaved orchis

add.

forma longifolia (Clute) P.M. Brown—narrow-leaved form forma pauciflora (Jennings) P.M. Brown—few-flowered form Brown, P.M. and S.N. Folsom. 2006. Wild Orchids of the Canadian Maritimes and Northern Great Lakes Region, p. 284.

90

Platanthera peramoena (A. Gray) A. Gray

purple fringeless orchis

add:

forma doddsiae P.M. Brown—white-flowered form Brown, P.M. 2002. North American Native Orchid Journal 8: 30–31. Brown, P.M. and S.N. Folsom. 2004. Wild Orchids of the Southeastern United States, pp. 26–27

Platanthera praeclara Sheviak & Bowles

Fimbriella praeclara (Sheviak & Bowles) Szlachetko & Rutkowski

western prairie fringed orchis

Szlachetko, D. and P. Rutkowski 2000. Acta Botanica Fennica 169: 380.

91

Platanthera psycodes (Linnaeus) Lindley

small purple fringed orchis

add:

forma fernaldii (Rousseau & Rouleau) P.M. Brown—dwarf form Victorin, M. 1957. Bulletin de Jardin Botanique de l'État 27: 370. Brown, P.M. and S.N. Folsom. 2006. Wild Orchidsof the Canadian Maritimes and Northern Great Lakes Region, p. 284.

#### 92

emend:

Platanthera sparsiflora (S. Watson) Schlecter [delete var. sparsiflora]

#### few-flowered rein orchis

Platanthera stricta Lindley

## slender bog orchis

range extension: east to southwestern South Dakota

#### 94

add the following hybrids:

Platanthera × apalachicola P.M. Brown & S. Stewart

## Apalachicola hybrid fringed orchis

(P. chapmanii × P. cristata)

Brown, P.M. 2003. North American Native Orchid Journal 9: 35.

Brown, P.M. and S.N. Folsom. 2004. Wild Orchids of the Southeastern United States p. 163.

Platanthera × beckneri P.M. Brown

## Beckner's hybrid fringed orchis

(P. conspicua × P. cristata)

Brown, P.M. 2002. North American Native Orchid Journal: 8: 3-14.

Brown, P.M. and S.N. Folsom. 2004. Wild Orchids of the Southeastern United States, p. 164.

Platanthera × lueri P.M. Brown

## Luer's hybrid fringed orchis

(P. conspicua × P. ciliaris)

Brown, P.M. 2002. North American Native Orchid Journal: 8: 3-14.

Brown, P.M. and S.N. Folsom. 2004. Wild Orchids of the Southeastern United States, p. 166.

Platanthera Xosceola P.M. Brown & S. Stewart

## Osceola hybrid fringed orchis

(P. chapmanii × P. ciliaris)

Brown, P.M. 2003. North American Native Orchid Journal 9: 35.

Brown, P.M. and S.N. Folsom. 2004. Wild Orchids of the Southeastern United States, p. 167.

Platanthera ×vossii

#### Voss' hybrid rein orchis

New nothogenus and combination:

emend to:

×Platanthopsis vossii (Case) P.M. Brown

Brown, P.M. 2002, North American Native Orchid Journal 8: 32-40.



Piperia unalascensis forma olympica p. 74



Platanthera huronensis p. 83



Platanthera convallariifolia pp. 79/94



#### 97

Ponthieva brittoniae Ames

### Mrs Britton's shadow-witch

emend:

rediscovered in Miami-Dade County, Florida in 2004

Larocque, M. 2004. Native Orchid Conference Journal 1(2): 33-34.

Sadel, I.L. 2005. Orchids 74(5): 380-82.

Sadel, J.L., S.W. Woodmansee, G.D. Gann, and T. V. Armentano. 2005. *Sida* 21(3): 1917–1920.

#### 101

Pteroglossaspis ecristata (Fernald) Rolfe

## crestless plume orchid

add:

forma purpurea P.M. Brown—dusky purple-flowered form

Brown, P.M. 2003. North American Native Orchid Journal 9: 35.

Brown, P.M. and S.N. Folsom. 2004. Wild Orchids of the Southeastern United States, pp. 184–85.

Brown, P.M. and S.N. Folsom. 2005. Wild Orchids of Florida: updated and expanded edition, pp. 228-29.

#### 104

Spiranthes brevilabris Lindley

## short-lipped ladies'-tresses

emend:

now extant from two areas in central Florida

#### 106

Spiranthes cernua (Linnaeus) L.C. Richard

### nodding ladies'-tresses

range extension: south to northern Florida

Brown, P.M. and S.N. Folsom. 2004. Wild Orchids of the Southeastern United States, pp. 194–95.

Brown, P.M. and S.N. Folsom. 2005. Wild Orchids of Florida: updated and expanded edition, pp. 244-45.

#### 108

Spiranthes floridana (Wherry) Cory emend. P.M. Brown

#### Florida ladies'-tresses

emend:

currently known from three very small extant sites in central Florida

Spiranthes infernalis Sheviak

### Ash Meadows ladies'-tresses

emend:

not listed as federally threatened, but is considered a species of concern

#### 116

Spiranthes sylvatica P.M. Brown

### woodland ladies'-tresses

range extension: northeastern Texas, southeastern Oklahoma, and southern Arkansas

#### 169

Insert in Key 9: Cyrtopodium after couplet 2 emend to read:

- 1b flowers heavily spotted or mottled...2
- 2a plants epiphytic, flowers yellow with heavy spotting.....C. punctatum

#### 172

Insert in Key 16: Hexalectris after couplet 5 emend to read:

5b petals and sepals otherwise...6

6a central lobe of the lip more or less squared at the tip, petals 15-17 mm long, recurved; western Texas....H. revoluta var. revoluta

#### 181

Insert in Key 28: Spiranthes after couplets 11 and 19 emend to read:

1li plants with small (ca. 5 mm), cream-colored flowers; late August/September flowering,..llii

lliib plants with nearly closed flowers; restricted to southern Nova Scotia.....S. casei var. novaescotiae

19i plants with small, cream-colored flowers; late August/September flowering...19ii

19iia plants with fully opened, although not wide-spreading, flowers......S. casei var. casei

19iib plants with nearly closed flowers; restricted to southern Nova Scotia.....S. casei var. novaescotiae

Spiranthes casei differs from Spiranthes vernalis and S. laciniata in range and drier habitat and from S. cernua and S. ochroleuca in (usually) single-ranked inflorescence and smaller, ca. 5 mm, flowers with the perianth not as wide-spreading.

### 185

Excluded species

add:

Triphora hassleriana (Cogniaux) Schlecter

Photograph from Miami-Dade County in Florida in Bransilver, 2004. p. 115 was labeled as *T. gentianoides* but subsequently identified as *T. hassleriana*. Plants were of horticultural origin and are not reproducing.

### 190

add:

Cyrtopodium macrobulbon

Cleistes ×ochlockoneensis

Platanthera ×apalachicola

Platanthera × beckneri [photo on p. 143 as P. × canbyi]

Platanthera × lueri [photo on p. 141 as P. × bicolor]

Platanthera ×osceola

## 195

add:

Hexalectris revoluta var. colemanii

Platanthera convallariifolia

Cleistes ×ochlockoneensis

Platanthera ×apalachicola

 $Platanthera \times beckneri$  [photo on p. 188 as  $P. \times canbyi$ ]

Platanthera × lueri [photo on p. 185 as P. × bicolor]

Platanthera ×osceola

## Glossary

199 correct definition to:

peduncle: stalk bearing an inflorescence or solitary flower

Bibliography

201 correct spelling to Buswell

202 correct spelling to Liggio

#### additions:

Ames, D., P.B. Acheson, L. Heshka, B. Joyce, J. Neufeld, R. Reeves, E. Reimer, and I. Ward. Orchids of Manitoba. Native Orchid Conservation Inc. Winnipeg, Man., 2005.

- Bransilver, C. Wild Love Affair: Essence of Florida's Native Orchids. Westcliff Publishers. Englewood, Colorado, 2004.
- Brown, P.M. Revalidation of *Platanthera conspicua*. *North American Native Orchid Journal* 8(2002): 3–14.
- Brown, P.M. and S.N.Folsom. Wild Orchids of the Southeastern United States, North of Peninsular Florida. Gainesville, Fla.: University Press of Florida, 2004.
- - . Wild Orchids of the Canadian Maritimes and Northern Great Lakes Region. Gainesville, Fla.: University Press of Florida, 2006.
- Burrage, A. Notes on Native New England Orchids. Privately published, 1921.
- Cotterill, P. Orchids of Lakeland (Provincial Park). Alberta Environmental Protection, 1998. Cutter, Jr., V.M. New Hampshire Orchids. Unpublished manuscript, ca. 1940.
- Deane, W. The Native Orchids of New England. The American Gardener 12(1891): 152-157.
- Dueck, L. Wild Orchids in South Carolina: the Story. Aiken, South Carolina: Savannah River Ecology Laboratory, 2003.
- Fitzpatrick, T.J. and M.F.L. Fitzpatrick. The Orchidaceae of Iowa. *Proceedings of the Iowa Academy of Sciences*. 7 (1900): 187–196.
- Fowler, J.A. Wild Orchids of South Carolina: a popular natural history. Columbia: University of South Carolina Press, 2005.
- Henderson, J. A Taxonomic Treatment of the Genus Habenaria in Eleven Midwestern States. MSThesis. University of Missouri-Kansas City. 1977.
- Irwin, F.G. and P. Reeder. Wild Orchids of Illinois. Outdoor Illinois. 4, no.10 (1965): 4–14.
- Johnson, G. An Annotated Checklist of the Orchids of Arkansas. {\it Claytonia} 23 no. 4 (2004): 5–6.
- Johnsson, R. G. The Orchids of Isle Royale National Park. Houghton, Mich.: Wolf's Eye Press, 1963.
- Kravig, M.L. Orchids of the Black Hills. Proceeding of the South Dakota Academy of Sciences 48 (1969.): 119–131.
- Magrath, L.W. Native Orchids of Kansas. *Transactions of the Kansas Academy of Science* 74 (1971): 287–309.
- Orchids of the Prairies and Plains Regions of North America. Ph.D. Dissertation. University of Kansas, Lawrence, 1973.
  - . 2001. Native Orchids of Oklahoma. Crosstimbers Spring 2001: 18–25,

Rydberg, P.A. Gymnadeniopsis Rydberg in Britton, Manual of the Flora of the Northeastern United States, p. 293, 1901.

Scott, P.J. Orchids in Newfoundland, Canadian Orchid Journal 1, no. 2 (1981): 22-26.

.The orchids of Newfoundland and Labrador. Osprey 1, no. 2 (1985): 183–198. Sweet, Cheryl. Wild Orchids. Arizona Highways 80(2): 16-19. 2004.

Titford, W. and J. Titford. A Traveller's Guide to Wild Flowers of Newfoundland, Canada. St. John's, Newfoundland: Flora Frames, 1995.

Voitk, A. and M. Voitk. Orchids on the Rock-the Wild Orchids of Newfoundland. Corner Brook, Newfoundland. Gros Morne Cooperating Association. 2006 (expected date May 2006)

### Photo Credits

#### 205

correct photo credit for Basiphyllaea corallicola to Chuck L. McCartney, Jr. emend Ron Coleman: Hexalectris revoluta to Hexalectris revoluta var. colemanii 206

new photo credits (in this publication): Aaron Kennedy: Hexalectris revoluta var. colemanii

Allison Leavitt, National Park Service: Deiregyne confusa, Hexalectris revoluta var. revoluta

### Personal Checklist

### 230-236

add (or delete as indicated) the follow-

Amerorchis rotundifolia

#### small round-leaf orchis

forma rosea forma wardii

Calopogon barbatus

#### crested grass-pink

forma lilacinus forma albiflorus

Calopogon multiflorus

# many-flowered grass-pink

forma albiflorus

Calopogon oklahomensis

# Oklahoma grass-pink

forma albiflorus

Calypso bulbosa var. americana eastern fairy-slipper

forma biflora

Cleistes ×ochlockoneensis

## Ochlockonee hybrid rosebud orchid

Corallorhiza maculata var. ozettensis

## Ozette coralroot

Corallorhiza trifida

## early coralroot

forma verna

## Corallorhiza wisteriana

## Wister's coralroot

forma cooperi

## Cypripedium acaule

# pink lady's-slipper, moccasin flower

forma lancifolium

# Cypripedium fasciculatum

## clustered lady's-slipper

forma purpureum forma viride

Cypripedium guttatum spotted lady's-slipper

forma albiflorum

Cypripedium kentuckiense ivory-lipped lady's-slipper forma summersii

Cypripedium passerinum sparrow's-egg lady's-slipper, Franklin's lady's-slipper

forma minganense Cypripedium×herae

Queen Hera's hybrid lady's-slipper

Cyrtopodium macrobulbon

Dactylorhiza aristata var. aristata Fischer's orchid

forma albomaculata

Dactylorhiza aristata var. kodiakensis

Kodiak orchid

forma alba

Gymnadeniopsis clavellata var. clavellata

little club-spur orchis

forma wrightii

Hexalectris revoluta var. colemanii
Coleman's coralroot

Hexalectris warnockii

Texas purplespike

forma lutea

Hexalectris spicata var. spicata

crested coralroot

forma wilderi forma lutea

Malaxis spicata

Florida adder's-mouth

forma trifoliata

Listera cordata var. cordata

heart-leaved twayblade

forma tetraphylla

Piperia unalascensis

Alaskan piperia forma olympica

Delete: Platanthera blephariglottis var. conspicua

add:

Platanthera conspicua

southern white fringed orchis

Platanthera hookeri

Hooker's orchis forma oblongifolia

Platanthera orbiculata

pad-leaved orchis

forma longifolia forma pauciflora

Platanthera peramoena

purple fringeless orchis forma doddiae

Platanthera psycodes

small purple fringed orchis forma fernaldii

Platanthera ×apalachicola

Apalachicola hybrid fringed orchis

(P.chapmanii × P.cristata) Platanthera × beckneri

Beckner's hybrid fringed orchis (*P. conspicua* × *P. cristata*)

Platanthera ×lueri

**Luer's hybrid fringed orchis** (*P. conspicua* × *P. ciliaris*)

Platanthera ×osceola

Osceola hybrid fringed orchis (P. chapmanii × P. ciliaris)

Delete: Platanthera X vossii add. ×Platanthopsis vossii Voss' hybrid rein orchis

Pteroglossaspis ecristata crestless plume orchid forma purpurea

add to page 229: Gymnadeniopsis clavellata var. clavellata

little club-spur orchis Gymnadeniopsis clavellata var. ophioglossoides northern club-spur orchis Gymnadeniopsis integra vellow fringeless orchis Gymnadenionsis nivea snowy orchis

Delete from page 232: Platanthera clavellata var clavellata Platanthera clavellata var. ophioglossoides Platanthera integra Platanthera nivea

#### ACKNOWLEDGMENTS

I am grateful to Stan Folsom his line drawings and watercolor of Corallorhiza maculata var. ozettensis based upon the original description by Ed Tisch, Ron Coleman for additional information on Deiregyne confusa, Scott Stewart, Ann Malmquist, and Helen Jeude for reviewers' comments and Chuck Sheviak and Philip Kauth for additional comments. Barney Lipscomb, editor of Sida, has been especially helpful in facilitating the layout of this information.

Note.—A limited number of reprints designed for insertion into The Wild Orchids of North America, North of Mexico are available from the author. Copies of the book are also available from your bookseller, the University Press of Florida (www.upf.com), or the author (naorchid@aol.com).